

Canine Vaccine Comparison Chart

Drs. Foster & Smith Educational Staff

Vaccinations are an important and easy way to ensure your dog's health. And it's easier than you might think to vaccinate your pet at home. Simply check out our simple to understand [Vaccination Schedule](#) to make an informed decision on what to vaccinate for. Then review our article on [How to Vaccinate Your Dog at Home](#) for a straightforward explanation on the vaccination process.

Canine Vaccines	Canine Distemper	Distemper (Measles)	Hepatitis	Parvovirus	Adenovirus Cough	Parainfluenza	Leptospirosis	Coronavirus	Bordetella	✓ = Protected against ML = Modified Live K = Killed		
COMBINATION VACCINES												
5-way vaccines	ML	ML	ML	ML	ML	ML	K, 1-4 **	K	ML	Manufacturer's Recommendations* Min. Age Booster	AVAIL- ABLE IN:	
Canine Spectra 5 (Durvet)	✓		✓	✓	✓	✓				6 wks	Every 3-4 wks (3 doses total)	SINGLE DOSE
Duramune Max 5 (Boehringer Ingelheim)+	✓		✓	✓	✓	✓				6 wks	Every 2-3 wks to 12 wks old. Dogs 12 wks or older should receive booster 2-3 wks after initial dose	25 dose box
Nobivac Canine 1-DAPPv (Intervet)+	✓		✓	✓	✓	✓				6 wks	Every 3-4 wks to 12 wks old	25 dose box
Vanguard Plus 5 (Pfizer)+	✓		✓	✓	✓	✓				6 wks	Total of 3 doses, each 3 wks apart	25 dose box
Solo-Jec 5 Plus (Boehringer Ingelheim)***+	✓		✓	✓	✓	✓				6 wks	Total of 3 doses, each 3-4 wks apart	SINGLE DOSE
5-way vaccines plus coronavirus												
Duramune Max 5-CvK (Boehringer Ingelheim)+	✓		✓	✓	✓	✓		✓		6 wks	Every 2-3 wks to 12 wks old. Dogs 12 wks or older should receive booster 2-3	25 dose box

												wks after initial dose	
Vanguard Plus 5/CV (Pfizer)+	✓		✓	✓	✓	✓				6 wks		Total of 3 doses, each 3 wks apart	25 dose box
9-way vaccines													
Duramune Max 5/4L (Boehringer Ingelheim)+	✓		✓	✓	✓	✓	4 **			6 wks		Every 2-3 wks to 12 wks old	25 dose box
Univac 9 (Agrilabs)***+	✓		✓	✓	✓	✓	4 **			6 wks		Total of 3 doses, each 3-4 wks apart	SINGLE DOSE
Vanguard Plus 5 L4 (Pfizer)+	✓		✓	✓	✓	✓	4 **			6 wks		Total of 3 doses, each 3 wks apart	25 dose box
Canine Spectra 9 (Durvet)***+	✓		✓	✓	✓	✓	4 **			6 wks		Every 2-4 wks to 16 wks old.	SINGLE DOSE
9-way vaccines plus coronavirus													
Duramune Max 5-CvK/4L (Boehringer Ingelheim)+	✓		✓	✓	✓	✓	4 **	✓		6 wks		Every 2-3 wks to 12 wks old	25 dose box
Parvovirus and/or coronavirus vaccines													
Duramune Max PV (Boehringer Ingelheim)+				✓						6 wks		Every 2-3 wks to 12 wks old. Dogs over 12 wks should initially receive 1 dose and a 2nd dose 2-3 wks later	25 dose vial
Duramune Cv-K (Boehringer Ingelheim)									✓	6 wks		Every 2-3 wks to 12 wks old	10 dose vial
Duramune Max PC (Boehringer Ingelheim)+				✓					✓	6 wks		Every 2-3 wks to 12 wks old	10 dose vial

Vanguard Plus CPV (Pfizer)+					✓					6 wks	Total of 3 doses, each 3 wks apart	10 dose vial
Nobivac Puppy-DPv (Intervet)+		✓			✓					4 wks	Every 3-4 wks to 12 wks old	25 dose box
Bordetella and/or parainfluenza												
Bronchicine CAe (Pfizer)+									✓	8 wks	Total of 2 doses, each 2-4 wks apart	10 dose vial
Nobivac Intra-Trac KC (Intervet) NOSE DROPS - NOT INJECTABLE									✓	3 wks	Every 12 mths	10 dose vial
Nobivac Intra-Trac3 ADT (Schering)+ NOSE DROPS - NOT INJECTABLE						✓	✓		✓	3 wks	Every 6-12 mths	25 dose box
Kennel Jec-2 (Durvet)+ NOSE DROPS - NOT INJECTABLE									✓	3 wks	Every 6-12 mths	SINGLE DOSE
SINGLE PROTECTION VACCINES												
Lyme vaccine												
Lymevox (Pfizer)	NA									9 wks	2-3 wks after initial dose	10 dose vial

*These are the manufacturer's recommendations for the age at when to start vaccinating and the booster schedule. Your veterinarian may have different recommendations for minimum age, boosters, and annual vaccinations based on the breed, health status, and potential of the dog to be exposed to the disease. Many veterinarians do not recommend the use of a leptospirosis vaccine (7-way or 8-way) in dogs less than 12 weeks of age. See [Vaccination Schedule for Dogs](#).

**Number of strains included.

***Residents of CT, DE, IL, NJ, or NY, please ask your veterinarian for a prescription. Residents of NY may use a certificate of need. Needle and syringe are included with vaccine.

+Residents of MN, please ask your veterinarian for a prescription.