

# Feline Vaccine Product Chart

Drs. Foster & Smith Educational Staff

Feline Vaccines	Rhinotracheitis	Calicivirus	Chlamydiae	Feline Distemper (parvulopneumonia)	Feline Leukemia	Modified Live or Killed	✓ = Protected against ML = Modified Live K = Killed		
<b>COMBINATION VACCINES</b>									
2-way vaccine							Manufacturer's Recommendations <b>Min. Age    Booster</b>		AVAIL- ABLE IN:
<a href="#">Felocell FVR C (Pfizer)+</a> <a href="#">NOSE DROPS - NOT INJECTABLE</a> <i>(Fastest protection against respiratory diseases, but no protection against distemper)</i>	✓	✓				ML	12 wks**	If vaccinated at	25 dose box
<b>3-way vaccines</b>									
<a href="#">Feline Focus 3 (Durvet)+±</a> <a href="#">NOSE AND EYE DROPS - NOT INJECTABLE</a>	✓	✓		✓		ML	12 wks	If vaccinated at	<b>SINGLE DOSE</b>
<a href="#">Felocell 3 (Pfizer)+</a>	✓	✓		✓		ML	12 wks	3-4 wks after initial dose. Can give to kittens as young as 6 wks in high-risk situations; re-vaccinate these cats at 12 wks.	25 dose box

<a href="#">Fel-O-Vax PCT + Calicivax (Boehringer Ingelheim)</a> <i>(Extra strain of calicivirus)</i>	✓	✓	✓			K	8-10 wks**	3-4 wks after initial dose	10 dose vial
<a href="#">Fel-O-Guard Plus 3 (Boehringer Ingelheim)</a>	✓	✓	✓			ML	8 wks	3-4 wks after initial dose	25 dose box
<b>3-way vaccines plus leukemia</b>									
<a href="#">Fel-O-Guard Plus 3 + Lv-K (Boehringer Ingelheim)+</a>	✓	✓	✓	✓		ML/K	8 wks	3-4 wks after initial dose	25 dose box
<b>4-way vaccines</b>									
<a href="#">Fel-O-Vax IV + Calicivax (Boehringer Ingelheim)</a>	✓	✓	✓	✓		K	8 wks**	3-4 wks after initial dose	50 dose vial
<a href="#">Nobivac Feline 1-HCPCh (formerly Eclipse 4) (Intervet/Schering)+</a>	✓	✓	✓	✓		ML	9 wks	3-4 wks after initial dose	25 dose box
<a href="#">Felocell 4 (Pfizer)+</a>	✓	✓	✓	✓		ML	12 wks: 2 doses 3-4 wks apart	If vaccinated at	25 dose box
<a href="#">Fel-O-Guard Plus 4 (Boehringer Ingelheim)+</a>	✓	✓	✓	✓		ML/K	8 wks	3-4 wks after initial dose	25 dose box
<b>4-way vaccines plus leukemia</b>									
<a href="#">Nobivac Feline 1-HCPCh+FeLV (formerly Eclipse 4 + FeLV) (Intervet/Schering)+</a>	✓	✓	✓	✓	✓	ML/K	9 wks	3-4 wks after initial dose	25 dose box

<a href="#">Fel-O-Guard Plus 4 + Lv-K (Boehringer Ingelheim)+</a>	✓	✓	✓	✓	✓	ML/K	8 wks	3-4 wks after initial dose	25 dose box
<a href="#">Fel-O-Vax Lv-K-IV + CaliciVax (Boehringer Ingelheim) (Extra strain of calicivirus)</a>	✓	✓	✓	✓	✓	K	8-10 wks**	3-4 wks after initial dose	50 dose box
<b>SINGLE PROTECTION VACCINES</b>									
<b>Feline leukemia (FeLV)</b>									
<a href="#">Fel-O-Vax Lv-K (Boehringer Ingelheim)</a>	NA					K	10 wks**	3-4 wks after initial dose	10 dose vial
<a href="#">Leukocell 2 (Pfizer)</a>	NA					K	9 wks**	3-4 wks after initial dose	50 dose box

\*\*Safe to use in pregnant cats.

+Residents of MN, please ask your veterinarian for a prescription for the vaccine.

±Manufacturer's website suggests safe to use as young as 3 weeks of age.