Canine Vaccine Comparison Chart

Drs. Foster & Smith Educational Staff

Vaccinations are an important and easy way to ensure your dog's health. And it's easier than you might think to vaccinate your pet at home. Simply check out our simple to understand Vaccination Schedule to make an informed decision on what to vaccinate for. Then review our article on How to Vaccinate Your Dog at Home for a straightforward explanation on the vaccination process.

Canine Vaccines	Canine Distemper	Hepatitis	Parvovirus	Adenovirus Cough	Parainfluenza	Leptospirosis	Coronavirus	Bordetella	✔ = Protected against ML = Modified Live K = Killed		
COMBINATION VACCINES											
5-way vaccines	ML	ML	ML	ML	ML	K, 1-4 **	K	ML	Manufacturer's Recommendations* **Min. Age Booster**		AVAIL-ABLE IN:
Canine Spectra 5 (Durvet)	✔	✔	✔	✔	✔				6 wks	Every 3-4 wks until 16 wks of age (at least 3 doses total)	**SINGLE DOSE**
Duramune Max 5 (Boehringer Ingelheim)+	✔	✔	✔	✔	✔				6 wks	Every 2-3 wks to 12 wks old. Dogs 12 wks or older should receive booster 2-3 wks after initial dose	25 dose box
Nobivac Canine 1-DAPPv (Intervet) +	✔	✔	✔	✔	✔				6 wks	Every 3-4 wks to 12 wks old	25 dose box
Vanguard Plus 5 (Pfizer)+	✔	✔	✔	✔	✔				6 wks	Total of 3 doses, each 3 wks apart	25 dose box

*Unauthorized use of any images, thumbnails, illustrations, descriptions, article content, or registered trademarks of **Foster & Smith, Inc.** is strictly prohibited under copyright law. Site content, including photography, descriptions, pricing, promotions, and availability are subject to change without notice. These restrictions are necessary in order to protect not only our copyrighted intellectual property, but also the health of pets, since articles or images that are altered or edited after download could result in misinformation that may harm companion animals, aquatic life, or native species.*

Solo-Jec 5 (Boehringer Ingelheim)***+	✔	✔	✔	✔	✔				6 wks	Total of 3 doses, each 3-4 wks apart in puppies 9 wks & younger. Dogs 12 wks or older should receive booster 2-3 wks after initial dose.	**SINGLE DOSE**
5-way vaccines plus coronavirus											
Duramune Max 5-CvK (Boehringer Ingelheim)+	✔	✔	✔	✔	✔		✔		6 wks	Every 2-3 wks to 12 wks old. Dogs 12 wks or older should receive booster 2-3 wks after initial dose	25 dose box
Vanguard Plus 5/CV (Pfizer)+	✔	✔	✔	✔	✔		✔		6 wks	Total of 3 doses, each 3 wks apart	25 dose box
9-way vaccines											
Duramune Max 5/4L (Boehringer Ingelheim)+	✔	✔	✔	✔	✔	4 **			6 wks	Every 2-3 wks to 12 wks old	25 dose box
Univac 9 (Agrilabs)***+	✔	✔	✔	✔	✔	4 **			6 wks	Total of at least 3 doses, each 3-4 wks apart until 16 wks of age.	**SINGLE DOSE**
Vanguard Plus 5 L4 (Pfizer)+	✔	✔	✔	✔	✔	4 **			6 wks	Total of 3 doses, each 3 wks apart	25 dose box

*Unauthorized use of any images, thumbnails, illustrations, descriptions, article content, or registered trademarks of **Foster & Smith, Inc.** is strictly prohibited under copyright law. Site content, including photography, descriptions, pricing, promotions, and availability are subject to change without notice. These restrictions are necessary in order to protect not only our copyrighted intellectual property, but also the health of pets, since articles or images that are altered or edited after download could result in misinformation that may harm companion animals, aquatic life, or native species.*

Canine Spectra 9 (Durvet)***+	✔	✔	✔	✔	✔	4 **			6 wks	Every 2-4 wks to 16 wks old.	**SINGLE DOSE**
9-way vaccines plus coronavirus											
Duramune Max 5-CvK/4L (Boehringer Ingelheim)+	✔	✔	✔	✔	✔	4 **	✔		6 wks	Every 2-3 wks to 12 wks old	25 dose box
Parvovirus and/or coronavirus vaccines											
Duramune Max PV (Boehringer Ingelheim)+			✔						6 wks	Every 2-3 wks to 12 wks old. Dogs over 12 wks should initially receive 1 dose and a 2nd dose 2-3 wks later	25 dose box
Duramune Cv-K (Boehringer Ingelheim)							✔		6 wks	Every 2-3 wks to 12 wks old	25 dose box
Vanguard Plus CPV (Pfizer)+			✔						6 wks	Total of 3 doses, each 3 wks apart	10 dose vial
Nobivac Puppy-DPv (Intervet)+	✔		✔						4 wks	Every 3-4 wks to 12 wks old	25 dose box
Bordetella and/or parainfluenza											
Bronchicine CAe (Pfizer)+								✔	8 wks	Total of 2 doses, each 2-4 wks apart	10 dose vial
Nobivac Intra-Trac KC (Intervet) NOSE DROPS - NOT INJECTABLE					✔			✔	3 wks	Every 12 mths	10 dose vial

*Unauthorized use of any images, thumbnails, illustrations, descriptions, article content, or registered trademarks of **Foster & Smith, Inc.** is strictly prohibited under copyright law. Site content, including photography, descriptions, pricing, promotions, and availability are subject to change without notice. These restrictions are necessary in order to protect not only our copyrighted intellectual property, but also the health of pets, since articles or images that are altered or edited after download could result in misinformation that may harm companion animals, aquatic life, or native species.*

Nobivac Intra-Trac3 ADT (Schering)+ NOSE DROPS - NOT INJECTABLE				✔	✔			✔	3 wks	Every 12 mths	25 dose box
Kennel Jec-2 (Durvet)+ NOSE DROPS - NOT INJECTABLE					✔			✔	3 wks	Every 12 mths. Puppies vaccinated between 3-6 wks should be re-vaccinated at 6 wks.	**SINGLE DOSE**
SINGLE PROTECTION VACCINES											
Lyme vaccine											
Lymevax (Pfizer)	NA								9 wks	2-3 wks after initial dose	10 dose vial

*These are the manufacturer's recommendations for the age at when to start vaccinating and the booster schedule. Your veterinarian may have different recommendations for minimum age, boosters, and annual vaccinations based on the breed, health status, and potential of the dog to be exposed to the disease. Many veterinarians do not recommend the use of a leptospirosis vaccine (7-way or 9 -way) in dogs less than 12 weeks of age. See Vaccination Schedule for Dogs.

**Number of strains included.

***Residents of CT, DE, IL, NJ, or NY, please ask your veterinarian for a prescription. Residents of NY may use a certificate of need. Needle and syringe are included with vaccine.

+Residents of MN, please ask your veterinarian for a prescription.

*Unauthorized use of any images, thumbnails, illustrations, descriptions, article content, or registered trademarks of **Foster & Smith, Inc.** is strictly prohibited under copyright law. Site content, including photography, descriptions, pricing, promotions, and availability are subject to change without notice. These restrictions are necessary in order to protect not only our copyrighted intellectual property, but also the health of pets, since articles or images that are altered or edited after download could result in misinformation that may harm companion animals, aquatic life, or native species.*